



Mekiro B.V.

Tower Building, 22 Water Street
LIVERPOOL, L3 1BL, UK

Chamber of Commerce – The Hague 27353147

Tel: ++44 151 236 3191 Fax: ++44 151 236 4431, ++44 151 227 1438 e-mail: quality@mekiro.eu

PRODUCT SPECIFICATION

Description:	Base Oil BSS	Issue:	1
		BSS	

Typical Physical Characteristics

Property	Test	Units	Specification	Typical
Appearance at 20 °C	Visual		Clear and bright	Clear and bright
ASTM Colour	ASTM D6045		6.0 max	4.5
Flash Point	ISO 2592	°C	290 min	323
Kinematic Viscosity, 40 °C	ISO 3104	cSt	-	498
Kinematic Viscosity, 100 °C	ISO 3104	cSt	30.0 – 33.0	32.1
Density at 15°C	ASTM D1298	kg/l	0.885 – 0.920	0.900
Pour Point	D 5950-02	°C	-6 max	-6
Viscosity Index	D 2270-04	-	95 min	95
Conradson Residue	ISO 10370	Wt %	0.90 max	0.50